


# Resources



### PSNC Smoking Cessation Service Page:

https://psnc.org.uk/national-pharmacy-services/advanced-services/smoking-cessation-service/

PSNC Briefing Page:

https://psnc.org.uk/wp-content/uploads/2022/03/PSNC-Briefing-008.22-Guidance-on-the-Smoking-Cessation-Service.-1.pdf

SCS Service Specification

https://www.england.nhs.uk/wp-content/uploads/2022/03/B1298-community-pharmacy-advanced-service-specification-nhs-smoking-cessation-service.pdf

NCSCT Training (Standard Treatment Programme)

https://www.ncsct.co.uk/pub\_NHS-pharmacy-SCS.php

NCSCT step down guide

PharmOutcomes Community Pharmacy SCS Receiving Referrals Video <a href="https://media.pharmoutcomes.org/video.php?name=NHSSmokingCessationService-CommunityPharmacy">https://media.pharmoutcomes.org/video.php?name=NHSSmokingCessationService-CommunityPharmacy</a>





# Useful references

#### **MLCSU** dashboard:

https://medsopt.midlandsandlancashirecsu.nhs.uk/nhs-smoking-cessation-service/

## CPE (PSNC) page:

https://cpe.org.uk/national-pharmacy-services/advanced-services/smoking-cessation-service/

Future NHS page: <a href="https://future.nhs.uk/NHSpp/view?objectID=18882736">https://future.nhs.uk/NHSpp/view?objectID=18882736</a>

#### **Service spec:**

https://www.england.nhs.uk/wp-content/uploads/2022/03/PRN00178-community-pharmacy-advanced-service-specification-nhs-scs-v2.pdf/

### **NCSCT Standard Treatment Programme (STP):**

https://www.ncsct.co.uk/pub\_NHS-pharmacy-SCS.php




## **Training**

- NCSCT Practitioner
- NCSCT Mental Health
- NCSCT Pregnancy
- NCSCT E-cigarettes (no assessment)

**Carbon Monoxide Monitor** 

https://www.bedfont.com/micro







## The Service

- 12-week programme (so if patient starts treatment in hospital and is discharged after 2 weeks, you see them for 10 weeks)
- Weekly appointments for first 4 weeks then every 2 weeks (no longer than 2 weeks)
- Supply of NRT
- CO readings weeks 4 and 12 minimum (plus week 16?)
- Relapse before 4 weeks set new quit date and support for 12 weeks
- Relapse after 4 weeks signpost to commissioned service
- 'Not a puff' rule
- Assess your patient are they coping/struggling/relapsed/changed mind?
- Tailor support (F2F, 'phone, virtual)
- How are they getting on with their treatment? Does it need reducing/increasing/changing?



## Staff Support

Check for referrals

Contact patients to book consultation

Positive encouragement

Discuss other services i.e. hypertension